

Rezult.[®] **STAND
ON
QUALITY**

Rezult.[®]
STAND
ON
QUALITY

Rezult Ukraine LLC
Ukraine, 04070,
Kyiv, Petra Sahaidachnoho str., 11
Tel. +380 (44) 220 43 11
E-mail: info@rezult.pro
www.rezult.pro

LAMINATE FLOORING

© Rezult, The "Rezult" logo, "R" device and "Rezult" caption are all trade marks of RESULT INTERNATIONAL Limited, a company incorporated in England and operating from Greater Manchester, as the registered owner in the UK and in many other countries together with International Trade Marks. The owner has duly licenced RESULT UKRAINE LLC of Kyiv to use its trade marks for display in an approved manner in agreed territories and markets.

REZULT presents an absolutely new product line of Korosten MDF manufacture. It is a guarantee that you will have a solid foundation under your feet and confidence that you've made a right choice.

Korosten MDF factory is an ecologically certified, clean and environmentally friendly production of MDF/HDF boards and laminate flooring under commercial brand Result according to high quality standards.

Brand new equipment of worldwide known German companies Siempelkamp, Homag and Wemhoner was commissioned in 2011. Auxiliary equipment is also supplied by company Siempelkamp.

Quality

Absolute control

An international team of experts provides control at all stages of the production, starting from raw material input to the final product delivery to a Customer.

Warehouse facility

Non-stop work

Total area of warehouse allows to provide uninterrupted work of the factory during 2 months.

Logistic

Large transportation network

The distance to the European Union border 315 km. Distance to the sea port of Odessa 600 km.

Ecology

Safe operation

Safety and ecological properties of products and production units are confirmed by the appropriate certificates and meet all the requirements of international norms and standards. All REZULT products are made of certified timber only.

Technology

Full automation

The most powerful and progressive MDF/HDF production line in Ukraine with a high precision European equipment. We use innovative techniques and engineering development at our plants.






70 ha
Area of the factory



6 mln. m²
Annual output of laminate



300 000 m³
Annual output of MDF boards



32 000 m²
for storing of finished products










LAMINATE PLANK


has following construction


SPECIFICATION

Easy Installation, no mess and can be used immediately

-  **Ecologically clean.** The raw material which we use in laminate production is environmentally friendly certified wood. At each stage laminate controlled by international specialists
-  **Easy to clean.** Wet cleaning is allowed and easy to clean even a strong dirt.
-  **Color stable.** Color fastness and confrontation with dirty spots
-  **UV resistant.** ultra violet and sunlight sustainability



 Unique locking system



Compatible with underfloor heating. The temperature of the heating should not exceed +28 °C



Scratch resistant. Resists to accidental falling of objects and sparks, also animals claws don't leave the scratches

| | |
|---|--|
| <p>1 TOP LAYER High quality surface protection, resistant to wear and scratches</p> | <p>3 DURABLE BASE HDF BOARD Resistant to high pressure, made according to standard E1</p> |
| <p>2 DECORATIVE PAPER Each wood species shows its own unique properties and creates a variety of different designs</p> | <p>4 BALANCE PAPER Protects from moisture and deformation</p> |





Plank size

размер планки

1380 × 191 mm

Plank thickness

размер планки

7 mm

Class

размер планки

31 /AC3



Classic

Perfect balance between price and quality

Classic

Plank size
1380 x 191 mm

Plank thickness
7 mm

CL Class
31 / AC3

Classic

7 mm / 31 class (AC 3)

Is a new collection of decors in a fresh and natural colors. It's a perfect balance between price and quality.



Ecologically clean



Resistant to damage



E1 class



Easy to clean



Heat resistant



Color stable laminate



Compatible with underfloor heating



Unique locking system



Scratch resistant wheel of furniture



Scratch resistant



UV resistance

Cottage oak

Rialto oak

Denver oak

Summer oak

CL 275

Sherwood oak

CL 276

Coyote oak

CL 290

Compostela oak

CL 291

CL 271

CL 273

CL 274





Plank size

размер планки

1380 × 191 mm

Plank thickness

размер планки

8 mm

Class

размер планки

32 /AC4



Floor nature

Legna /Diamond /Grand



Fn

Floor Nature

8 mm / 32 class (AC 4)

Natural decors, which corresponds natural shades of wood. Thanks to unique production technology, texture of the wood looks and feels natural

Plank size
1380 x 191 mm

Plank thickness
8 mm

FN Class
32 / AC4



Ecologically clean



Resistant to damage



E1 class



Easy to clean



Heat resistant



Color stable



Compatible with underfloor heating



Unique locking system



Scratch resistant wheel of furniture



Scratch resistant



UV resistance

Bright oak

FN 101

Prestige oak

FN 105

Classic oak

FN 102

Bleached oak

FN 107

French oak

FN 103

Trend oak

FN 108

Alsak oak

FN 104

Elegant oak

FN 109



LG



Legna

8 mm / 32 class (AC 4)

Combination of classic design with innovative technology. Collection combines with the best qualities of oak

Specification

Plank size
1380 x 191 mm

Plank thickness
8 mm

LG Class
32 / AC4



Ecologically clean



Resistant to damage



E1 class



Easy to clean



Heat resistant



Color stable



Compatible with underfloor heating



Unique locking system



Scratch resistant wheel of furniture



Scratch resistant



UV resistance

Esperanza oak

Stable oak

Viva oak

White oak

LG 152

LG 135

LG 140

LG 148

Accent oak

LG 178

Desert oak

LG 153

Fleetwood oak

LG 177



D

Diamond

8 mm / 32 class (AC 4)


Perfection is available right now with a magnificent Diamond collection. Its distinctive feature is an exquisite shades that create an atmosphere of beauty and harmony of your space.



Plank size
1380 x 191 mm

Plank thickness
8 mm

D Class
32 / AC4



Nostalgi oak

Manor oak

Canyon Mount oak

Robust oak

D 254

Winter oak

D 255

Mongolian oak

D 256

Canyon black oak

D 258

D 217

D 218

D 220





GR

Grand

8 mm / 32 class (AC 4)

The palette of colors and natural surface structure comply with the latest European trends. Due to the wide range of decors Grand perfectly suits to both traditional and modern interiors.

Plank size
1380 x 191 mm

Plank thickness
8 mm

GR Class
32 / AC4

- Ecologically clean
- Resistant to damage
- E1 class
- Easy to clean
- Heat resistant

- Color stable
- Compatible with underfloor heating
- Unique locking system
- Scratch resistant wheel of furniture
- Scratch resistant
- UV resistance

Country oak

Royal oak

Dart Moor oak

Canyon Mandarin oak

GR 137

Kahlua oak

GR 139

Grand pastis

GR 141

GR 133

GR 134

GR 136

Lancelot oak

Historic pine

Summer oak

GR 179

Kinley oak


GR 180

Millennium oak

GR 194

GR 144

GR 145





Plank size

размер планки

1380 × 191 mm

Plank thickness

размер планки

8 mm

Class

размер планки

33 /AC5



Premium

Durability - for intensively used space



P r

Premium

8 mm / 33 class (AC 5)

Extra strong laminate surface guarantees its owners a long service life. This laminate indicates a high level of durability and possibility to use in commercial premises with intensive load.



Plank size
1380 x 191 mm

Plank thickness
8 mm

PG Class
33 / AC5



Ecologically clean



Resistant to damage



E1 class



Easy to clean



Heat resistant



Color stable



Compatible with underfloor heating



Unique locking system



Scratch resistant wheel of furniture



Scratch resistant



UV resistance

Aviso oak

Montana

Montezuma oak

Texton oak

PR 158

PR 126

PR 127

PR 129

Pearl oak

PR 192

Cardanya oak

PR 193



EL



Elegant

10 mm / 33 class (AC 5)

Luxurious decors, extra strength, durability and functionality. Elegant laminate designed for intensively used premises with a high load

Specification

Plank size
1380 x 191 mm

Plank thickness
10 mm

EL Class
33 / AC5

- Ecologically clean
- Resistant to damage
- E1 class
- Easy to clean
- Heat resistant
- Color stable
- Compatible with underfloor heating
- Unique locking system
- Scratch resistant wheel of furniture
- Scratch resistant
- UV resistance

Croft oak

EL 143

Harvest oak

EL 146

Grandis oak

EL 159



**“Luxurious decors, extra strength,
durability and functionality”**



E L E G A N T —



Plank size

размер планки

1380 × 191 mm

Plank thickness

размер планки

12 mm

Class

размер планки

33 /AC5



Modern

High level of durability, simplicity
and easy laying



Mod

Modern

12 mm / 33 class (AC 5)

Strength and durability, high level of moisture resistance, simplicity and easy laying



Plank size
1380 x 191 mm

Plank thickness
12 mm

MD Class
33 / AC5

- Ecologically clean
- Resistant to damage
- E1 class
- Easy to clean
- Heat resistant
- Color stable
- Compatible with underfloor heating
- Unique locking system
- Scratch resistant wheel of furniture
- Scratch resistant
- UV resistance

Specification

Country oak

Royal oak

Texton oak

Croft oak

MD 188

Elegant oak

MD 189

Kahlua oak

MD 195

MD 185

MD 186

MD 187



Stable oak

Robust oak

Grand pastis

MD 198

Canyon black oak

MD 199

Grandis oak

MD 200

MD 196

MD 197

AP

Authentic +plus

10 mm / 33 class (AC 5)

Extra strong bevel laminate with 10 mm thickness and 33 durability class (AC5) allows to use it in rooms with high load



Plank size
1380 x 191 mm

Plank thickness
10 mm

AP Class
33 / AC5



Ecologically clean



Resistant to damage



E1 class



Easy to clean



Heat resistant



Color stable



Compatible with underfloor heating



Unique locking system



Scratch resistant wheel of furniture



Scratch resistant



UV resistance

Grey oak

AP 205

Alpen fichte

AP 207

Baltic oak

AP 210

“Perfect option for using
in a working space”



A U T H E N T I C P L U S





Prestige

| |
|--|
| Plank size размер планки 1380 × 191 mm |
| Plank thickness размер планки 8 mm |
| Class размер планки 32 /AC4 |



Reliable, environmentally friendly bevel floor

Pg

Prestige


8 mm / 32 class (AC 4)

Reliable, environmentally friendly bevel laminate

Plank size
1380 x 191 mm

Plank thickness
8 mm

PG Class
32 / AC4



Norway oak

Sweden oak

Stone oak

Alpen oak

PG 208

Holz oak

PG 209

Michigan oak

PG 211

PG 203

PG 204

PG 206



Pro

Promo

7,5 mm / 32 class (AC 4)

Strength and durability, high level of moisture resistance, simplicity and easy laying



Plank size
1380 x 191 mm

Plank thickness
7,5 mm

Pro Class
32 / AC4



Ecologically clean



Resistant to damage



E1 class



Easy to clean



Heat resistant



Color stable



Compatible with
underfloor heating



Unique
locking system



Scratch resistant
wheel of furniture



Scratch
resistant



UV resistance

Bond oak



Light oak



Chestnut hill



Magnat oak



Turner oak



| Name of collection | Shipping standards | | Pallet | | Name of collection | Pack standards | | | | | |
|--------------------|---------------------|----------------|-------------------|---------------------|--------------------|----------------|---------|--------|----------|----------------|--------|
| | Quantity of Pallets | M ² | Quantity of Boxes | Area m ² | | Thickness | Length | Width | Quantity | M ² | Weight |
| Classic | 22 | 3131,04 | 60 | 142,32 | Classic | 7 mm | 1380 mm | 191 mm | 9 pcs. | 2,372 | 15 kg. |
| Floor nature | 22 | 2783,88 | 60 | 126,54 | Floor nature | 8 mm | 1380 mm | 191 mm | 8 pcs. | 2,109 | 15 kg. |
| Diamond | 22 | 2783,88 | 60 | 126,54 | Diamond | 8 mm | 1380 mm | 191 mm | 8 pcs. | 2,109 | 15 kg. |
| Grand | 22 | 2783,88 | 60 | 126,54 | Grand | 8 mm | 1380 mm | 191 mm | 8 pcs. | 2,109 | 15 kg. |
| Legna | 22 | 2783,88 | 60 | 126,54 | Legna | 8 mm | 1380 mm | 191 mm | 8 pcs. | 2,109 | 15 kg. |
| Premium | 22 | 2783,88 | 60 | 126,54 | Premium | 8 mm | 1380 mm | 191 mm | 8 pcs. | 2,109 | 15 kg. |
| Prestige V4 | 22 | 2783,88 | 60 | 126,54 | Prestige V4 | 8 mm | 1380 mm | 191 mm | 8 pcs. | 2,109 | 15 kg. |
| Elegant | 22 | 2086,92 | 60 | 94,86 | Elegant | 10 mm | 1380 mm | 191 mm | 6 pcs. | 1,581 | 15 kg. |
| Authentic Plus V4 | 22 | 2086,92 | 60 | 94,86 | Authentic Plus V4 | 10 mm | 1380 mm | 191 mm | 6 pcs. | 1,581 | 15 kg. |
| Modern | 22 | 1739,76 | 60 | 79,08 | Modern | 12 mm | 1380 mm | 191 mm | 6 pcs. | 1,372 | 15 kg. |
| Promo | 22 | 3131,04 | 60 | 142,32 | Promo | 7,5 mm | 1380 mm | 191 mm | 9 pcs. | 2,372 | 15 kg. |