



ŁUKASIEWICZ RESEARCH NETWORK - WOOD TECHNOLOGY INSTITUTE

Third Party Certifier TPC-19

CERTIFICATION CENTRE OF WOOD INDUSTRY PRODUCTS

Winiarska St. 1, 60-654 Poznan, Poland

Product certification body accredited by

POLISH ACCREDITATION CENTRE

Accreditation № AC 098

CERTIFICATE No. 0790/2020 – TPC-19 ATTESTATION

EPA requirements conformity attestation No. ITD 0790-3/2021

By the recognition of the Wood Technology Institute as an independent certification party (TPC-19) by U.S. Environmental Protection Agency (EPA), published August 9, 2017 under the provisions of the Toxic Substances Control Act (TSCA) – TSCA Title VI - Final rule 40 CFR PART 770 - Formaldehyde Emission Standards for Composite Wood Products,

Łukasiewicz Research Network

Wood Technology Institute

Winiarska St. 1

60-654 Poznan

on the basis of Agreement No. 264/2017 for certification and continuous supervision of the production of wood-based panels in the scope of formaldehyde emission concluded with the Company

PJSC „Korostens’kiy MDF plant”

Ukraine, Zhytomyr region

11501 Korosten, Serhiia Kemsoko Str. 11-b

belonging to

PJSC „Korostens’kiy MDF plant”

Ukraine, Kiev region

01-034 Kiev, Yaroslavov Val Str. 38

carried out in the third quarter of 2021 an independent external control encompassing inspection of operation of the Company’s quality control system, operation of the Company’s laboratory for product quality control, and correctness of tests for formaldehyde emission/content in the produced wood-based materials conducted within the framework of internal control of the factory production.

Based on the obtained results (Test report No. 264/HDF/5-12/FC/2021-3) Institute states that the product under supervision, i.e.

HDF Board

in the range of thicknesses from 5,00 mm to 12,00 mm

according to the manufacturer’s declarations, compliant with standard:

PN-EN 622-5:2010 Fibreboards – Specifications – Part 5: Requirements for dry process boards (MDF)

fulfills the EPA requirements for formaldehyde emission given in Final rule 40 CFR PART 770.10, subject to compliance with the provisions of the existing Agreement No. 264/2017 are observed.

This Attestation confirms the validity of Certificate No. 0790/2020 – TPC-19 and is effective until 1st day of January 2022 on the understanding that the results of the next audit are positive.

Head of CCWPD

Zygmunt Stawicki, MSc (Eng)



Poznan, on the 28th of September, 2021

DYREKTOR

dr hab. inż. Maria Władysława-Przybylak