



**ŁUKASIEWICZ RESEARCH NETWORK –
POZNAŃ INSTITUTE OF TECHNOLOGY**

Third Party Certifier TPC-19

CERTIFICATION DEPARTMENT
Winiarska Str. 1, 60-654 Poznań, Poland



AC 098

CERTIFICATE No. 0650/2018 – TPC-19 ATTESTATION

EPA requirements conformity attestation No. CTD 0650-1/2024

The assessment was conducted in accordance with the Certification Program (EPA)

By the recognition of the Wood Technology Centre as an independent certification party (TPC-19) by U.S. Environmental Protection Agency (EPA), published August 9, 2017 under the provisions of the Toxic Substances Control Act (TSCA) – TSCA Title VI - Final rule 40 CFR PART 770 - Formaldehyde Emission Standards for Composite Wood Products,

**Łukasiewicz Research Network – Poznań Institute of Technology
Certification Department**

Winiarska St. 1
60-654 Poznań

on the basis of Agreement No. 281/2018 for certification and continuous supervision of the production of wood-based panels in the scope of formaldehyde emission concluded with the Plant

LLC „Korostens’kiy MDF plant”

Ukraine, Zhytomyr region
11501 Korosten, Serhiia Kemsokho Str. 11-b

belonging to

LLC „Korostens’kiy MDF plant”

Ukraine, Zhytomyr region
11504 Korosten, Serhiia Kemsokho Str. 11-d

carried out in the first quarter of 2024 an independent external control encompassing inspection of operation of the Company’s quality control system, operation of the Company’s laboratory for product quality control, and correctness of tests for formaldehyde emission/content in the produced wood-based materials conducted within the framework of internal control of the factory production.

Based on the obtained results (Test report No. 281/FC/2024-1) Certification Department states that the product under supervision, i.e.

LDF Board

in the range of thicknesses from 12,00 mm to 38,00 mm

according to the manufacturer’s declarations, compliant with standard:

PN-EN 622-5:2010 Fibreboards – Specifications – Part 5: Requirements for dry process boards (MDF)

fulfills the EPA requirements for formaldehyde emission given in Final rule 40 CFR PART 770.10, subject to compliance with the provisions of the existing Agreement No. 281/2018 are observed.

This Attestation confirms the validity of Certificate No. 0650/2018 – TPC-19 and is effective until 1st day of July 2024 on the understanding that the results of the next audit are positive.

Area leader

Henryk Słomiński, MSc (Eng)

Poznań, on the 28th of March, 2024